

Plot No. 300, Phase - II, KIADB Industrial Area, Harohalli, Kanakapura Taluk, Ramanagara District, Karnataka - 562 112, India. CIN: U31909KA2006PTC040282 www.aosmithindia.com | https://www.facebook.com/aosmithin | https://twitter.com/AOSmithin









SAY HELLO TO A. O. SMITH.

Founded in 1874 by Charles Jeremiah Smith, the A. O. Smith Corporation began as an engineering company in Milwaukee, Wisconsin. Today, we are the global leaders in making water heaters. This drives our pursuit for excellence when it comes to water purifiers as well. For the past 145 years, our singular purpose has been to create stellar products that deliver the best performance with the best technology. And to this day, we live strongly by that belief.



Disclaimer: Product images / color shown may vary from actual model. Design, feature and specifications mentioned are subject to change without notice.

OVER A CENTURY OF INNOVATION.

A. O. Smith enjoys a rich history of achievements.
 A glimpse at our 145-year history reveals

numerous engineering and technical achievements.



1874

The Smith family started a small mechanical shop in Milwaukee, North America.





A. O. Smith was North

America's largest automobile
frame manufacturer.

1936

A. O. Smith patents the glass-lined water heater.



1995

Reach into the Asian Market by entering two joint ventures in China.

1889

The company enters the bicycle industry.



1927

A. O. Smith was a leading supplier of line pipe.



1954

The water heater
division introduces
the first glass-lined
commercial water
heater, the A. O. Smith
Burkay ® B-65.



State-of-the-art plant set-up in Harohalli, Bengaluru in 2010.



THINGS ARE HEATING UP.

Every A. O. Smith water heater is one of a kind. Intelligent, efficient, eco-friendly and a class apart. They're the perfect balance of form and function. Whether it's the latest technology, stunning looks or a durable build, we've got it all covered. From the HeatBot™ to our instant geyser, you will find one you will love.







India's most trusted
water heater brand

Power of Trust
Brand Trust Report 2018 and 2019





Superbrand Awarded by Superbrands India in 2014-2015



Product of the Year Best innovations in retail products



National 'Energy Conservation' Award Awarded by Bureau of Energy Efficiency [BEE]

A BLUE DIAMOND IS FOREVER.

Innovation defines us. And nothing defines innovation like our patented Blue Diamond® Technology. You'll find it in every single

A. O. Smith water heater. A specially formulated glass frit is bonded to the steel of the tank at over 800 degrees Celsius.

This reduces the accumulation of dirt from minerals and provides 2X corrosion resistance even in hard water.

All of this, while enhancing the strength and durability of the tank.



Blue Diamond® Glass Lining

Heating Element

Inner Container (Tank)



YOU'RE NOT IN YOUR SHOWER. YOU'RE IN THE FUTURE.

Built to be smart. Built to be beautiful.



There are water heaters.

And there are HeatBots. Future-ready, easy-to-use, eco-friendly and nothing short of a masterpiece.

Our HeatBots™ are built to be smart and beautiful. Equipped with Advanced Temperature Control,

Smart Timer Mode, Energy

Consumption Display and much more, the HeatBot™ is everything you'd expect. And everything you wouldn't.





FUTURE-READY



Wireless remote for ease of control.



Energy Meter displays energy consumption.



Smart Timer Mode for Auto-On, Auto-Off.



Design Registered. Designed for better technology and better performance.

WORRY-FREE



Blue Diamond® Glass-Lined Tank for 2X corrosion resistance.



7-year warranty on tank. 2+2 year warranty on Glass Coated Heating Element.



Long-lasting Anode Rod with 2X lifespan even in hard water conditions.



Double Protection with Thermal Cut-Out and Multi-function Safety Valve.

ECO-FRIENDLY



BEE 5-star rated with Advanced PUF Technology for Power Savings. Perfect if you want to go green.



EASY-TO-USE

Easy Access Temperature Control Knob.



THE LIGHTWEIGHT HEAVYWEIGHTS - INSTANT GEYSERS.

No one does it the way our ESW does.

This instant geyser doesn't just come with

a handful of great features, it's space-smart too.

Without compromising on performance.



Blue Diamond® Glass-Lined Tank



Pressure 8 bar



Glass-Coated Heating Element

2X corrosion resistance.

Resistant to scale formation.



Capacity (L)



Long-lasting Anode Rod

2X lifespan as compared to normal magnesium rod.



Power (W) 3000/4500



Inner Tank	Extended Warranty* on Heating Element	Comprehensive	
5 years	2+1 years	2 years	





*Extended Warranty: Registration of Extended Warranty (1 year or 2 years) is valid if customer registers the product within 60 days of purchase.

For more details log on to www.aosmithindia.com

BEAUTY ON THE OUTSIDE. BEAST ON THE INSIDE.

Our water heaters aren't just impressive on the outside.

They're equally world-class on the inside. That's why you get a 7-year warranty* on the tank, a 4-year extended warranty* on the heating element and a 2-year comprehensive product warranty* that promises safety and longevity.



Ti Steel Tanks

A. O. Smith water heaters now come with a specially designed Titanium steel tank that ensures sturdy construction, longer life and superior quality that is unmatched. The Titanium steel combined with our patented Blue Diamond® coating is the most technologically advanced combination gives A. O. Smith water heaters resistance to corrosion even in hard waters.



Advanced PUF Technology

The advanced PUF injection ensures uniform and high density foam distribution. Zero gaps between the tank and insulation greatly reduces heat loss to atmosphere. This ensures maximum energy efficiency and power savings.



Fold Back Heating Element

Fits the shape of the tank, ensuring uniform heating and continous and maximum availability of hot water.



Thermal Cut-Out for Safety

If the water temperature exceeds the highest preset limit then this automatically cuts off the power supply to the water heater for your familys safety.



Long-Lasting Anode Rod

A customised alloy that works even in hard water conditions to protect the tank and has 2X lifespan as compared to a magnesium alloy commonly used in most water heaters.




Glass-Coated Heating Element*

Incoloy heating element protected by glass coating to prevent scale formation and extend the life of heating element.



Multi-Function Safety Valve

Four levels of built-in safety through pressure relief valve, non-return valve, drain valve and vaccum release valve.



Efficient Inlet Water Diffuser

Efficient Inlet Water Diffuser breaks the incoming water jet into smaller streams, changing water flow from vertical to horizontal direction. Supplying more and continous hot water at every point.



Thermostat

Helps in setting the temperature of your water for a relaxing bath.



Wire Harness and Power Cord

Complying to the stringent standards of UL 1015 for wires, IS 694 for cables and IS 1293 for plug.

*Features may vary as per model

BIG ON SLEEKNESS. BIG ON PERFORMANCE.

Presenting the HSE-HAS and HSE-VAS

water heaters from A. O. Smith, now 18% slimmer.

The compact fit for a compact shower.





Blue Diamond® Glass-Lined Tank

2X corrosion resistance.



Temperature Control Knob Easy temperature settings.



Glass-Coated Heating

Resistant to scale



Advanced PUF Insulation High energy efficiency and power savings.



Long-lasting Anode Rod

2X lifespan as compared to normal magnesium rod.



-	Inner Tank	Extended Warranty* on Heating Element	Comprehensive
J	7 years	2+2 years	2 years



*Extended Warranty: Registration of Extended Warranty (1 year or 2 years) is valid if customer registers the product within 60 days of purchase.

For more details log on to www.aosmithindia.com

IT'S ABOUT TIME -EXPRESS HEAT SERIES.

Our Express Heat series values your time. This is why they give you hot water 33% faster compared to ordinary water heaters of 2KW. At a temperature of your choice. Be it the HSE-SGS, HSE-VBS or the HSE-HAS, you'll be surprised at the amount of time these water heaters can save you.



Blue Diamond® Glass-Lined Tank


Resistant to scale

2X corrosion resistance.



Express Heat

33% faster heating than 2 kw water heaters. Get hot water



Temperature Control Knob Easy temperature settings.



Long-lasting Anode Rod 2X lifespan as compared to normal magnesium rod.



Advanced PUF Insulation High energy efficiency and power savings.



Inner Tank	Extended Warranty* on Heating Element	Comprehensive
7 years	2+2 years	2 years



*Extended Warranty: Registration of Extended Warranty (1 year or 2 years) is valid if customer registers the product within 60 days of purchase.

For more details log on to www.aosmithindia.com

BIG ON ENERGY SAVINGS.

Our energy efficient series are designed to surpass the 5-star energy rating*.

Whether it's the HSE-SAS, HSE-SDS, HSE-VAS or the HSE-HAS.

We want you to enjoy maximum energy efficiency, at the lowest bill possible.





Blue Diamond[®]
Glass-Lined Tank
2X corrosion resistance.



Temperature Control Knob Easy temperature settings.



Glass-Coated Heating Element Resistant to scale



Advanced PUF Insulation High energy efficiency and power savings.



Long-lasting Anode Rod

2X lifespan as compared to normal magnesium rod.



Inner Tank	Extended Warranty* on Heating Element	Comprehensive
7 years	2+2 years on SDS & HAS	2 years
	2+1 years on SAS & VAS (15/25L)	3



LET'S TALK DIGITAL.

While India is going digital, we think it's our responsibility to quicken that pace.

And our digital range does just that. Be it the SES, SBS, HAS-PLUS or the HNS,

you'll be surprised at how future-forward our digital range is.



Blue Diamond[®]
Glass-Lined Tank
2X corrosion resistance.



Energy Meter
Displays total energy consumption.



Glass-Coated Heating Element Resistant to scale



Wired/Wireless Control
Easy control of water
heater and temperature



Advanced PUF Insulation High energy efficiency and power savings.



	Inner Tank	Extended Warranty* on Heating Element	Comprehensive
J	7 years	2+2 years	2 years



POWER OF 1 SERVICE.

Every A. O. Smith water heater comes with A. O. Smith's Power of One service. Simply call our 24x7 helpline and we'll take it forward from there.



1 Hour Response.

We will schedule a service appointment within one hour of your call to our customer care number.



1 Day Resolution.

A company authorized service technician will visit the same day or within 24 hours of your call.

1 Time Fix.

Our company authorized service technician will carry and replace any non-working component on the very first visit.

WE'VE RAISED THE BAR. FOR WATER PURIFIERS TOO.

In addition to water heaters, we've also brought international-standard water purifiers to India. Our range of water purifiers offer everything you've thought of. And more. Engineered with the finest technologies, our water purifiers are intuitive, efficient and beautiful. Whether it's the top-of-the-line A. O. Smith Green RO series, or the invisible X5+, you'll find one that best suits your needs.



PRODUC	TS	MECHANICAL				
		EWS	SAS-PLUS	SDS-PLUS	szs	
		-	0			
CONVINEINCE Blue Diamond		✓	✓	✓	✓	
Glass coated h	neating element	✓	-	✓	✓	
Dual glass coa	ited heating elements	-	-	-	-	
LED Indicators	3	✓	✓	✓	✓	
Temperature c	ontrol knob	-	✓	✓	✓	
Digital Display	e	-	-	-		
Remote		-	-			
Express Heat		✓	2	-	1.	
Power Option		-	-	-		
Energy Meter		-	-	-		
Digital Clock		-	-	-		
Digital Temper	ature Setting	-2	2	-		
I-Timer Mode		-	-	-	-	
Smart Timer M	lode (Auto on/off)	-	-	-	-	
Thermal cut-or	ut	✓	✓	✓	✓	
Anode rod		✓	✓	✓	✓	
Safety valve		✓	✓	✓	✓	
Adjustable The	ermostat	-	✓	✓	✓	
Mounting		Wall	Wall	Wall	Wall	
SPECIFICATION Power (KW)	INS	3 4.5	2	2	2	
Capacity (L)		3	6 10 15 25	6 10 15 25	15 25	
	Height	384	317 373 373 444	317 373 373 444	408 486	
Dimensions in mm	Width	245	317 373 373 444	317 373 373 444	395 444	
uncondition)	Depth	205	258 277 348 383	258 277 348 383	370 408	
Net weight (kgs)		4.2	6.3 8.2 9.8 13	6.3 8.2 9.8 13	10.3 13.5	
AESTHETICS Colours		White Ivory	White I Ivory	White Ivory	Silver White	
ColourMatch System®		-	4 Colour Panel (Chargeable)	4 Colour Panel	-	
	Tank	5 Years	7 Years	7 Years	7 Years	
WARRANTY	Extended warranty on Heating Element	2+1 Years*	2+1 Years*	2+2 Years*	2+2 Years*	
	Comprehensive	2 Years	2 Years	2 Years	2 Years	

Note: A. O. Smith reserves the right to amend or modify the specifications and features at any time, as and when required without any prior notification.

	MECHAI	EXPRESS HEAT			
HSE-HAS-X	HSE-HAS	HSE-VAS-X	HSE-VAS	SGS-PLUS	HSE-VBS
- 3	-	16.	1 2		-
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
-	13 - 1	-	-		-
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
-		-	•	-	-
150		-	-		-
128	N=7	_	120	✓	✓
-	-	-	- 2	-	2
-	(r -)	-		-	-
150	2. .	-	-		ē
27	N27	-	220	-	2
_	-	- 2	-	2	2
•	8 - 8		-	-	-
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
✓	✓	✓	✓	✓	✓
Wall & Loft	Wall & Loft	Wall	Wall	Wall	Wall
2	213	2	2	3	3
15 25	35 50 70 100	15 25	35 50	6 10 15 25	35 50
320 320	395 395 465 465	441 644	665 870	317 373 373 444	665 870
492 694	810 1015 888 1158	338 338	395 395	317 373 373 444	395 395
320 320	395 395 465 465	338 338	395 395	258 277 348 383	395 395
12 18	21 26 28 36	14 18	20 24	6.3 8.2 9.8 13	20 24
White	White	White	White	White Ivory	White
-	-	-	-	4 Colour Panel	
7 Years	7 Years	7 Years	7 Years	7 Years	7 Years
2+2 Years*	2+2 Years*	2+1 Years*	2+2 Years*	2+2 Years*	2+2 Years*
2 Years	2 Years	2 Years	2 Years	2 Years	2 Years

^{*} Extended Warranty is valid if customer registers the product within 60 days of purchase.


PRODUC	TS	DIGITAL			
		HSE-SBS	HSE-SES	SZS-DG	
CONVINEINCE Blue Diamond		✓	✓	✓	
Glass coated h	neating element	✓	✓	✓	
Dual glass coa	ited heating elements	-	7-9	-	
LED Indicators	3	×8	-	7	
Temperature o	ontrol knob	-	3.5	12	
Digital Display		✓	✓	√	
Remote		Wired	Wireless	Wireless	
Express Heat		K2 ⁴	828	2	
Power Option		-	-	-	
Energy Meter		✓	✓	✓	
Digital Clock		•	-	✓	
Digital Temper	ature Setting	✓	✓	✓	
I-Timer Mode		N=1	-	7-	
Smart Timer M	lode (Auto on/off)	-	e-a	✓	
Thermal cut-or	ut	✓	✓	✓	
Anode rod		✓	✓	✓	
Safety valve		✓	✓	✓	
Adjustable The	ermostat	✓	✓	√	
Mounting		Wall	Wall	Wall	
SPECIFICATION Power (KW)	INS	2	2	2	
Capacity (L)		15 25	15 25	15 25	
	Height	373 444	373 444	408 486	
Dimensions in mm	Width	373 444	373 444	395 444	
TOTAL CONTROL	Depth	337 371	337 371	370 408	
Net weight (kg	s)	9.8 13	8 13	10.3 13.5	
AESTHETICS Colours		White I Ivory	White Ivory	Silver White	
ColourMatch S	System®	4 Colour Panel	4 Colour Panel	7	
	Tank	7 Years	7 Years	7 Years	
WARRANTY	Extended warranty on Heating Element	2+2 Years*	2+2 Years*	2+2 Years*	
	Comprehensive	2 Years	2 Years	2 Years	


Note: A. O. Smith reserves the right to amend or modify the specifications and features at any time, as and when required without any prior notification.

DIGITA	AL.
HSE-HAS-PLUS	HSE-HNS
-	
✓	✓
✓	-
	✓
5	-
2	✓
✓	✓
Wired	Wired Touch Control & Wireless
✓	✓
<u>\$</u>	✓
*	✓
2	✓
✓	✓
<u>=</u>	✓
-	✓
✓	✓
✓	✓
✓	✓
✓	✓
Wall & Loft	Wall
2 3	3/2 3/2
15 25 35 50	50 70
320 320 395 395	483 483
492 694 810 1015	717 876
320 320 395 395	483 483
12 18 21 26	25 29
White	Gray
	•
7 Years	7 Years
2+2 Years*	2+2 Years*
2 Years	2 Years


HOW TO CHOOSE YOUR WATER HEATER.


Capacity is the primary criteria which depends on the kind of usage.
















^{*} Extended Warranty is valid if customer registers the product within 60 days of purchase.













MAIN TECHNOLOGY		RO + SCMT	RO + SCMT	RO + SCMT	RO	
HIGHEST RECOVERY 100% RO WATER PURIFIER IN INDIA*		✓	✓	✓	✓	
TOTAL STAGES			8	8	8	7
FILTRATION ST	AGES					
Pre-Filter			✓	✓	✓.	✓
SCB Filter™	Sediment F	Iter	✓	✓	✓.	✓
SCD FILLET	Carbon Filte	r	✓	✓	✓	✓
ART™ (Patent A	Applied)		✓	✓	✓.	✓
Side Stream R	0 Membrane		✓ :	✓	✓.	✓
MIN-TECH			✓	✓	✓.	SCM-TECH™ Filter
ZX Double Prot	ection	SAPC	✓	✓	✓	[MIN-TECH^ + SAPC]
Dual Filter (Pat	ent Applied)	SCMT	✓	✓	✓	×
CONVENIENCE	FEATURES					
Storage Capac	ity		10 Ltrs	10 Ltrs	9 Ltrs	9 Ltrs
Water Dispensi	ing Type		Touch	Faucet	Faucet	Faucet
Hot Water			✓	✓	×	×
Child-Lock			✓	✓	×	×
Night Assist			✓	✓	×	×
Auto Fill			✓	✓	✓	✓
Advance Alert Technology for Filters		✓	✓	✓	✓	
Removable Drip Tray		✓	✓	✓	✓	
Water Level Indicator		✓	✓	✓	✓	
Mounting Optio	ıns		Wall/Table	Wall/Table	Wall/Table	Wall/Table
Display			Digital	Digital	Digital	LED
SPECIFICATION	IS					
Dimension (H x	D x W) in mm		482 x 369 x 326	482 x 369 x 326	490 x 329 x 315	503 x 325 x 314
Pressure rating	g in psi***		7 ~ 30	7 ~ 30	7 ~ 30	7 ~ 30
Input Voltage ii	n watt		150 ~ 300V AC / 50 Hz	150 ~ 300V AC / 50 Hz	150 ~ 300V AC / 50 Hz	150 ~ 300V AC / 50 Hz
Power rating w	vatt (Max)		60	60	48	48
Heating Eleme	nt in watt		500 @ 230VAC	500 @ 230VAC	Not applicable	Not applicable
UV lamp power	r wattage		Not applicable	Not applicable	Not applicable	Not applicable
% Recovery**			>55%	>55%	>55%	>55%
TDS reduction*	*		≥95% (approx.)	≥95% (approx.)	≥95% (approx.)	≥95% (approx.)
Water flow rate			15 Litres/hour	15 Litres/hour	15 Litres/hour	15 Litres/hour
Suitable for TDS level			Upto 2000 ppm	Upto 2000 ppm	Upto 2000 ppm	Upto 2000 ppm
Suitable for hardness level			NA	NA	NA	NA
Storage Tank Material			Food Grade ABS	Food Grade ABS	Food Grade ABS	Food Grade ABS
WARRANTY						
1-Year Comprehensive Warranty		Yes* (including all filters and RO membrane)	Yes* (including all filters and RO membrane)	Yes* (including all filters and RO membrane)	Yes* (including all filters and R0 membrane)	

[◆]Under standard test condition. For more details refer www.aosmithindia.com 1 *Input water should have TDS <2000 ppm, in case it exceeds refer to product manual for warranty details. 1 ##For detailed specifications please refer product manual. 1 ***If input pressure exceeds 30 psi, a pressure reducing valve needs to be installed at the feed line. If the pressure is lower than 7 psi, a booster pump needs to be installed. For more details refer www.aosmithindia.com. Product colour and image may vary from the actual product. A. 0. Smith reserves the right to amend or modify the specifications and features at any time, as and when required without any prior notification.

MODEL Z2⁺ X5⁺ Z1 X2











		1			
MAIN TECHNOLOGY		RO	RO	UV	UV
HIGHEST RECOVERY 100% RO WATER PURIFIER IN INDIA*		×	×	×	×
TOTAL STAGES		6	6	5	5
FILTRATION STAGES					
Pre-Filter		✓	✓	✓	Sediment
Sediment Filter		✓	✓	Fine Sediment	Fine Sediment
Carbon Filter		✓	✓	✓	✓
Side Stream RO Memb	orane	✓	√	×	×
COM TECHTM Files	MIN-TECH	✓	✓	×	×
SCM-TECH™ Filter	SAPC	✓	✓	×	×
UV (Ultraviolet)		×	×	✓	✓
UF (Ultra Fine)		×	×	✓	✓
CONVENIENCE FEATUR	RES				
Storage Capacity		5 Ltrs	7.5 Ltrs	10 Ltrs	5 Ltrs
Water Dispensing Type	е	Faucet	Faucet	Faucet	Faucet
Hot Water	25.53	×	×	✓	×
Child-Lock		×	×	✓	×
Night Assist		×	×	✓	×
Auto Fill		✓	✓	✓	✓
Advance Alert Technology for Filters		✓	×	✓	✓
Removable Drip Tray		×	×	✓	×
Water Level Indicator		×	×	✓	✓
Mounting Options		Under the Counter	Under the Counter	Wall/Table	Wall
Display		Digital	Not applicable	Digital	Digital
SPECIFICATIONS					
Dimension (H x D x W)	in mm	420 x 410 x 270	460 x 205 x 365	482 x 369 x 326	460 x 260 x 380
Pressure rating in psi*	**	7 ~ 30	7 ~ 30	5 ~ 30	5 ~ 30
Input Voltage in watt		150 ~ 300V AC / 50 Hz	150 ~ 300V AC / 50 Hz	150 ~ 300V AC / 50 Hz	150 ~ 300V AC / 50 Hz
Power rating watt (Ma	ix)	48	48	36	36
Heating Element in wa	ntt	Not applicable	Not applicable	500 @ 230VAC	Not applicable
UV lamp power wattag	је	Not applicable	Not applicable	11	11
% Recovery**		Upto 30%	Upto 30%	Not applicable	Not applicable
TDS reduction**		≥95% (approx.)	≥95% (approx.)	Not applicable	Not applicable
Water flow rate		15 Litres/hour	15 Litres/hour	30 Litres/hour (@15 psi feed pressure)	30 Litres/hour (@25 psi feed pressure)
Suitable for TDS level		Upto 2000 ppm	Upto 2000 ppm	Upto 200 ppm	Upto 200 ppm
Suitable for hardness level		Upto 500 ppm	Upto 500 ppm	Upto 120 ppm	Upto 120 ppm
Storage Tank Material		Food Grade	Food Grade	Food Grade ABS	Food Grade ABS
WARRANTY					
1-Year Warranty		Yes** and 1 (or) 2 year warranty on R0 membrane*	Yes** and 1 (or) 2 year warranty on RO membrane*	Yes* on UV lamp and all electrical & functional part,	Yes* on UV lamp and all electrical & functional par

MIN-TECH (Mineraliser Technology) | Silver Activated Post Carbon (SAPC) | Silver Charged Membrane Technology (SCMT). *Under standard test condition. For more details refer www.aosmithindia.com *Z1and X2 model suggested for TDS up to 200 ppm and hardness up to 120 ppm. | *Warranty not available on consumables other than RO membrane. | *1 year if input water has TDS < 2000 ppm and hardness < 400 ppm. | *For detailed specifications please refer product manual. ***If input pressure exceeds 30 psi, a pressure reducing valve needs to be installed at the feed line. If the pressure is lower than 7 psi, a booster pump needs to be installed. | For more details refer www.aosmithindia.com. Product colour and image may vary from the actual product. A. O. Smith reserves the right to amend or modify the specifications and features at any time, as and when required without any prior notification.

except filters

except filters